



LCD-TV

Chassis GMO32MU
 GMO40KU
 GMO46KU

Model LN-S3292D
 LN-S4092D
 LN-S4692D

SERVICE Manual

TFT-LCD TV



Fashion Feature

- RF, 2HDMI, PC(Analog), Component, Video, S-Video, Digital TV
- Brightness : 500cd/m²
- Contrast ratio : 3000 : 1
- Response time : 32" - 8ms, 40"/46" - 16ms
- Dynamic contrast
- PIP

Copyright

©2006 by Samsung Electronics Co., Ltd.

All rights reserved.

This manual may not, in whole or in part, be copied, photocopied, reproduced, translated, or converted to any electronic or machine readable form without prior written permission of Samsung Electronics Co., Ltd.

GMO32MU / GMO40KU / GMO46KU Service Manual

First edition April 2006.

Printed in Korea.

Trademarks

Samsung is the registered trademark of Samsung Electronics Co., Ltd.

GMO32MU / GMO40KU / GMO46KU and MacMaster Cable Adapter are trademarks of Samsung Electronics Co., Ltd.

Macintosh, Power Macintosh are trademarks of Apple Computer, Inc.

All other trademarks are the property of their respective owners.

Contents

1	Precautions	1-1
1-1	Safety Precautions	1-1
1-2	Servicing Precautions	1-2
1-3	Electrostatically Sensitive Devices (ESD) Precautions	1-2
1-4	Installation Precautions	1-3
2	Product specifications	2-1
2-1	Fashion Feature	2-1
2-2	Specifications	2-2
2-3	Option Specification	2-6
3	Alignments and Adjustments	3-1
3-1	General Alignment Instruction	3-1
3-2	Factory Mode Adjustments	3-2
3-3	White Balance - Calibration	3-9
3-4	White Ratio (Balance) Adjustment	3-10
3-5	Servicing Information	3-11
4	Troubleshooting	4-1
4-1	No Power	4-1
4-2	No Video (Analog PC Signal)	4-2
4-3	No Video (HDMI - Digital Signal)	4-4
4-4	No Picture (Tuner_CVBS)	4-6
4-5	No Picture (Tuner DTV TS)	4-8
4-6	No Picture (Video CVBS)	4-10
4-7	No Picture(S-Video Y/C)	4-11
4-8	No Picture(Component1, 2 : 480i, 480p, 720p, 1080i[Y, Pb, Pr])	4-13
4-9	No Sound	4-15
5	Exploded View and Parts List	5-1
5-1	LN-S3292D Exploded View	5-1
5-2	LN-S3292D Parts list	5-2
5-3	LN-S4092D Exploded View	5-3
5-4	LN-S4092D Parts list	5-4
5-5	LN-S4692D Parts list	5-5
5-6	LN-S4692D Parts list	5-6
6	Electrical Parts List	6-1
6-1	LNS3292D Parts List	6-1
6-2	LNS4092D Parts List	6-27
6-3	LNS4692D Parts List	6-55

Contents

7	Block Diagram	7-1
8	Wiring Diagram	8-1
	8-1 Wiring Diagram	8-1
9	Schematic Diagrams	9-1
10	Operating Instructions and Installation	10-1
	10-1 Front	10-1
	10-2 Connection Panel	10-2
	10-3 Remote Control	10-4
11	Disassembly and Reassembly	11-1
	11-1 Disassembly	11-1
	11-2 Reassembly	11-3
12	Schematic Diagram	12-1
	12-1 Main PCB Layout	12-1
	12-2 LN-S3292D Power	12-2
	12-2 LN-S4092D Power	12-3
	12-2 LN-S4692D Power	12-4
13	Circuit Descriptions	13-1
	13-1 Block description	13-1
14	Reference Information	14-1
	14-1 Technical Terms	14-1
	14-2 Pin Assignments	14-4
	14-3 Timing Chart	14-6
	14-4 Panel Description	14-10



-This Service Manual is a property of Samsung Electronics Co., Ltd.
Any unauthorized use of Manual can be punished under applicable International and/or domestic law.

Samsung Electronics Co.,Ltd.
416, Maetan-3Dong, Yeongtong-Gu, Suwon City,
Gyeonggi-Do, Korea, 443-742
Printed in Korea
P/N : BN82-00146A-01
URL : <http://itself.sec.samsung.co.kr/>